

**CALIPER SPECIFICATIONS**

# ZR35

## ZR35 Series Caliper Monobloc - 4 Piston - 4 Pad

Common Application: GT Rear

Application	GT Rear	GT Rear	GT Rear	GT Rear
Mount Dim. (mm)	210 x 42mm	210 x 42mm	210 x 42mm	210 x 42mm
Piston sizes (mm)	29.0/36.5	36.5/36.5	41.0/41.0	44.0/44.0
Piston area per side (mm <sup>2</sup> )	1706.86	2092.69	2640.5	3041.06
Max disc dia (mm)	378	378	378	378
Max disc thickness (mm)	32	32	32	32
Min disc thickness (mm)	28	28	28	28
Max pad thickness (mm)	23	23	23	23
Fluid capacity (cm <sup>3</sup> )	58.0	71.2	89.8	103.4
Max operating pressure	103bar / 1500psi	103bar / 1500psi	103bar / 1500psi	103bar / 1500psi
Pad Shape	7831, 7832	7831, 7832	7837	7837
Pad area per side (cm <sup>2</sup> )	59.16, 52.06	59.16, 52.06	65.56	65.56
Caliper weight	2.72kg / 6.0lbs	2.68kg / 5.9lbs	2.68kg / 5.9lbs	2.68kg / 5.9lbs

  

Handing	Caliper Part #	Caliper Part #	Caliper Part #	Caliper Part #
Leading Left	35.378.365.290.01	35.378.365.365.01	35.378.410.410.03	35.378.440.440.03
Leading Right	35.378.365.290.02	35.378.365.365.02	35.378.410.410.04	35.378.440.440.04
Trailing Left	35.378.365.290.11	35.378.365.365.11	35.378.410.410.13	35.378.440.440.13
Trailing Right	35.378.365.290.12	35.378.365.365.12	35.378.410.410.14	35.378.440.440.14

**Pad Shape**

Rotor OD (mm)	Pad Shape	Eff. Radius (mm)	'H' Dim (mm)	'PL' Dim (mm)
355.0	7831, 7837	153.5, 152.2	119.9	57.6
378.0	7831, 7837	165.0, 163.7	132.0	57.0
355.0	7832	156.0	122.4	55.1
378.0	7832	167.5	134.5	54.5

Stud Diameter  
Min locating  $\varnothing$ : 11.975 mm  
Max  $\varnothing$ : 12.025 mm

See Pad comparison chart for thickness options and compound availability