

CALIPER SPECIFICATIONS

ZR78 Series Caliper
Monobloc - 6 Piston

ZR78

Common Application: GT Front

Application	GT Front
Mount dim. (mm)	210 x 42
Piston sizes (mm)	29.0/32.0/36.5
Piston area per side (mm ²)	2511.11
Max disc dia. (mm)	380
Max disc thickness (mm)	34
Min disc thickness (mm)	32
Max pad thickness (mm)	29.95
Fluid capacity (cm ³)	157.6
Max operating pressure	103bar/1500psi
Pad shape	7978
Pad area per side (cm ²)	86.83
Caliper weight	2.98kg/6.54lb

Handing	Caliper Part #
Leading Left	
Leading Right	
Trailing Left	78.380.290.365.11
Trailing Right	78.380.290.365.12

Technical drawings of the ZR78 caliper showing dimensions: 210.0, 281.4, 219.8, 42.0, 142.9, 76.9, 81.7, 56.6, 79.5, 42.0, 44.0, R209.0, and Stud Diameter details (Min locating Ø: 11.975mm, Max Ø: 12.025mm).

Rotor OD (mm)	Swept (mm)	Pad Shape	Eff. Radius (mm)	'H' Dim (mm)	'PL' Dim (mm)
380.0	61.0	7978	160.0	126.5	63.5

See Pad comparison chart for thickness options and compound availability